

Screens



Desk & Floor



Tel: 0161 330 2348 Fax: 0161 343 2005

Ashton Office Supplies 204 - 208 Stockport Road, Ashton-Under-Lyne, OL7 0NS www.ashtonoffice.co.uk

Screens

M

Desk Mounted



perfect for finishing off the desk,


Straight:
This upholstered desk screen is



Wave:
Can also provide an enclosed desk space.



Curved: Being upholstered can be useful to pin documents to thus freeing up more desk space.



Overview

Desk mounted screens have a 25mm MFC core, foam back and fabric finish. The overall depth of the completed screen is 40mm

Rear and Return Screen lengths are available to complement the following desks; straights, waves, curved and desks with pedestals. (Not available in Maestro).

Features & Benefits

- MFC core material, base for 40mm overall depth
- Additional foam layer between outer fabric and MFC core
- Brackets supplied to enable attachment to 25mm MFC desktops
- Universal adjustable brackets optional

MFC sourced from FSC Certified Supplier.

Screens Desk Mounted

Straight Desk Mounted Screen



CODE	Α	В
ES800S	800	400
ES1000S	1000	400
ES1200S	1200	400
ES1400S	1400	400
ES1600S	1600	400
ES1800S	1800	400






Wave Desk Mounted Screen



CODE	Α	В	С
ES800W	800	200	400
ES1000W	1000	200	400
ES1200W	1200	200	400
ES1400W	1400	200	400
ES1600W	1600	200	400
ES1800W	1800	200	400






Curved Desk Mounted Screen



CODE	Α	В	С
ES800C	800	200	400
ES1000C	1000	200	400
ES1200C	1200	200	400
ES1400C	1400	200	400
ES1600C	1600	200	400
ES1800C	1800	200	400



Universal Adjustable Screen Brackets



The Universal Bracket allows screens to be mounted to a number of different manufacturers desks. The universal clamp on bracket will attach on desks from 15mm - 36mm desk tops.


All above screens are supplied with brackets to fit 25mm desks.

CODE	DESCRIPTION
UNSCBR	Universal bracket (Pair)


Finish: Grey

Screens

Floor Standing



Linking: 2 and 4 screen linking devices used to connect screens together.



Screen Support: Screens can utilise the desk as support or can be self supporting using a bar foot. (Supplied as standard).



Foam Backed: Additional foam layer between outer fabric and MFC core.



Overview

Economy Floor Screens are used to break up the appearance and absorb sound in an open plan office environment and provide the operators with an element of seclusion and privacy.

Features & Benefits

- 25mm Core MFC material, base for 40mm overall depth.
- Additional foam layer between outer fabric and MFC core.
- Screens can utilise the desk as support.
- Can be self supporting using a bar foot. Screen feet supplied as standard

Screens Floor Standing







1500mm High Solid Floor Screen



CODE	DESCRIPTION
508	H:1500 x W:800
510	H:1500 x W:1000
512*	H:1500 x W:1200
516*	H:1500 x W:1600
518*	H:1500 x W:1800

*Stocked in select colours



1800mm High Solid Floor Screen




CODE	DESCRIPTION
808	H:1800 x W:800
810	H:1800 x W:1000
812*	H:1800 x W:1200
814*	H:1800 x W:1400
816*	H:1800 x W:1600

*Stocked in select colours



Linking Strips



2-2 panel linking strips used for connecting 2 screens together. 4-4 panel linking strips used for connecting 4 screens together

CODE	DESCRIPTION
LK22	1200mm 2-2 Strip
LK25	1500mm 2-2 Strip
LK28	1800mm 2-2 Strip
LK42	1200mm 4-4 Strip
LK45	1500mm 4-4 Strip
LK48	1800mm 4-4 Strip

Finish: Black only



Tel: **0161 330 2348** Fax: **0161 343 2005**